

RECEIVED  
CENTRAL FAX CENTERSerial No.: 09/842,496  
RCE to OA of 09/07/2005

DEC 06 2005

Amendments to the Claims

**This listing of claims will replace all prior versions, and listings, of the claims:**

1. (original) A computer-enabled workflow process system, comprising:
  - a node group database that stores a group of work nodes referred to by a generic node, wherein a work node defines a workflow action and data items to be read and written when executing the workflow action;
  - a workflow engine that executes a workflow process having the generic node, wherein the workflow engine accesses the node group database for the group of work nodes when the generic node is to be executed so as to allow dynamic composition and modification of the workflow process.
2. (original) The system of claim 1, wherein work nodes can be added to or removed from the node group dynamically without requiring the workflow process to be redefined,
3. (original) The system of claim 1, wherein the node group database stores a plurality of groups of work nodes, each being referred to by at least one generic node.
4. (original) The system of claim 3, wherein each generic node can refer to more than one group of work nodes.
5. (original) The system of claim 1, wherein the workflow engine further comprises
  - a static instance manager that manages execution of work nodes within the workflow process;
  - an adaptive instance manager that accesses the node group database for the group of work nodes to replace the generic node.
6. (original) The system of claim 5, wherein the adaptive instance manager receives attributes of the generic node to determine which work nodes within the group are to replace the generic node.

Serial No.: 09/842,496  
RCE to OA of 09/07/2005

## BEST AVAILABLE COPY

7. (original) The system of claim 5, wherein the adaptive instance manager further comprises

a first set of instructions that receive attributes of the generic node from the group of work nodes;

a second set of instructions that determine which work nodes within the group are described by the generic node;

a third set of instructions that replace the generic node with all of the work nodes within the group that are described by the generic node.

8. (original) In a workflow process management system, a computer-implemented method of executing a workflow process having at least a generic node, comprising

storing a group of work nodes corresponding to the generic node in a node group database, wherein the node group database stores a plurality of groups of work nodes, wherein a work node defining a workflow action and data items to be read and written when executing the workflow action;

accessing the node group database for the group of work nodes when the generic node is to be executed;

executing work nodes in the group such that the workflow process can be dynamically composed and modified without requiring that the workflow process be redefined.

9. (original) The method of claim 8, wherein work nodes can be added to or removed from the group without redefining its corresponding workflow process.

10. (original) The method of claim 8, further comprising the step of determining when the generic node in the workflow process is to be executed.

11. - 14. (canceled)

**BEST AVAILABLE COPY**

Serial No.: 09/842,496  
RCE to OA of 09/07/2005

15. (previously presented) The system of claim 1, wherein one of the work nodes defines a workflow action of collecting data for the workflow process.
16. (previously presented) The system of claim 1, wherein the workflow process defines a moving service.
17. (previously presented) The system of claim 1, wherein the workflow process is an automation of a business process during which documents and information are passed from one participant to another participant.
18. (previously presented) The system of claim 1, wherein at least one work flow node replaces the generic node during execution of the workflow process.
19. (previously presented) The system of claim 1, wherein attributes in the generic node govern which work nodes within the group of work nodes will replace the generic node during execution of the workflow process.
20. (previously presented) The system of claim 1, wherein the node group database includes workflow actions that specify different shipping services.
21. (previously presented) The method of claim 8, further comprising collecting data with one of the work nodes during execution of the workflow process.
22. (previously presented) The method of claim 8, wherein the workflow process defines a moving service.
23. (previously presented) The method of claim 8, further comprising exchanging documents and information during the workflow process.
24. (previously presented) The method of claim 8, further comprising replacing the generic node with a work flow node during execution of the workflow process.

**BEST AVAILABLE COPY**

Serial No.: 09/842,496  
RCE to OA of 09/07/2005

25. (previously presented) The method of claim 8, further comprising specifying, in attributes in the generic node, which work nodes within the group of work nodes will replace the generic node during execution of the workflow process.

26. (previously presented) The method of claim 8, wherein the node group database includes workflow actions that specify different shipping services.

27. (currently amended) A computer-enabled workflow process system, comprising:

a node group database that stores plural work nodes, wherein each work node defines a different workflow action;

a generic node having attributes that identify which work nodes are activated to replace the generic node during execution of a workflow process; and

a workflow engine that executes the workflow process having the generic node, wherein the workflow engine accesses, when the generic node is to be executed, the node group database to replace the generic node with at least one work node and to initiate the workflow action of the at least one work node.

28. (previously presented) The system of claim 27, wherein plural work nodes are activated to replace the generic node during execution of the workflow process.

29. (previously presented) The system of claim 28, wherein the plural work nodes activated to replace the generic node are executed in parallel.

30. (previously presented) The system of claim 28, wherein the plural work nodes activated to replace the generic node are sequentially executed.

31. (previously presented) The system of claim 27, wherein values of the attributes are set at runtime by a previously executed work node.

**BEST AVAILABLE COPY**

Serial No.: 09/842,496  
RCE to OA of 09/07/2005

32. (previously presented) The system of claim 27, wherein the workflow actions include moving services.
33. (previously presented) The system of claim 27, wherein the work nodes include airline shipment and railway shipment.
34. (previously presented) The system of claim 27, wherein work nodes in the node group database specify services that are performed by third parties during execution of the workflow process.
35. - 36. (canceled)
37. (new) The system of claim 1, wherein the work flow engine determines if nodes are generic after commencing execution of the workflow process having the generic node.
38. (new) The system of claim 1, wherein different executions of a same generic node result in a different subset of work nodes being executed.
39. (new) The method of claim 8 further comprising: determining, after executing work nodes in the generic node, if nodes in the workflow process are generic nodes.
40. (new) The method of claim 8 further comprising: executing the generic node more than one time while executing the workflow process.
41. (new) The method of claim 8 further comprising: changing configuration of the generic node while the workflow process is being executed.
42. (new) The system of claim 27, further comprising: plural generic nodes, wherein each of the generic nodes has attributes that identify which work nodes are to be activated.